



## Parts List for:

Y12-MGW  
PA6D  
PA6D-2  
D-01115AA**MODEL C**  
**AIR HYDRAULIC PUMP/4-WAY VALVE**  
**FOOT/HAND OPERATED**  
**Maximum Capacity: 10,000 PSI**

# Parts List, Form No. 100434, Back sheet 1 of 2

| Item No. | Part No.         | No. Req'd | Description                                                                       | Item No.                            | Part No.        | No. Req'd                                                   | Description                                                                    |
|----------|------------------|-----------|-----------------------------------------------------------------------------------|-------------------------------------|-----------------|-------------------------------------------------------------|--------------------------------------------------------------------------------|
| 1        | <b>36497</b>     | 1         | Check Valve Body                                                                  | 41                                  | <b>*28239</b>   | 1                                                           | Gasket                                                                         |
| 2        | <b>*12522</b>    | 1         | O-ring, Disogrin (3/8 X 1/4 X 1/10)                                               | 42                                  | <b>33822</b>    | 1                                                           | Piston End Plate                                                               |
| 3        | <b>*10445</b>    | 1         | Compression Spring<br>(.164 O.D. X 23/32 Lg.)                                     | 43                                  | <b>*28183</b>   | 1                                                           | Piston Poppet                                                                  |
| 4        | <b>202568</b>    | 1         | Ball Guide                                                                        | 44                                  | <b>10241</b>    | 3                                                           | Lockwasher                                                                     |
| 5        | <b>*10423</b>    | 1         | Steel Ball (9/32 Dia.)                                                            | 45                                  | <b>11434</b>    | 3                                                           | Cap Screw (#10-24 X 1/2 Lg.;<br>Torque to 50/55 in. lbs.)                      |
| 6        | <b>10002</b>     | 1         | Cap Screw (1/4-20 X 3/8 Lg.)                                                      | 46                                  | <b>*28858</b>   | 1                                                           | Gasket                                                                         |
| 7        | <b>*10442</b>    | 2         | Copper Washer (3/8 X 1/4 X 1/32)                                                  | 47                                  | <b>*33853</b>   | 1                                                           | Reservoir Gasket (For 2 gallon<br>reservoir gasket. See sheet 2 of 2)          |
| 8        | <b>50494</b>     | 1         | Pump Body                                                                         | 48                                  | <b>*34283</b>   | 1                                                           | Gasket                                                                         |
| 9        | <b>21278</b>     | 1         | Relief Valve Assembly<br>(10,000 PSI)                                             | 49                                  | <b>*10276</b>   | 2                                                           | O-ring (1" X 3/4 X 1/8)                                                        |
| 10       | <b>17428</b>     | 4         | Cap Screw (1/4-20 X 4" Lg.)                                                       | 50                                  | <b>14456</b>    | 6                                                           | Screw (Torque to 25/30 in. lbs.; For 2<br>gallon reservoir. See sheet 2 of 2.) |
| 11       | <b>15823</b>     | 4         | Lockwasher                                                                        | 51                                  | <b>28198</b>    | 1                                                           | Seal Guide                                                                     |
| 12       | <b>*10375</b>    | 1         | Steel Ball (1/4 Dia.; For PA6D,<br>D-01115AA)                                     | 52                                  | <b>14794</b>    | 1                                                           | Plastic Plug                                                                   |
|          | <b>*10423</b>    | 1         | Steel Ball (9/32 Dia.; For PA6D-2,<br>Y12-MGW)                                    | 53                                  | <b>*10281</b>   | 1                                                           | O-ring (1-1/2" X 1-1/4" X 1/8)                                                 |
| 13       | <b>*10261</b>    | 1         | Soft Copper Washer<br>(19/32 X 3/4 X 1/32)                                        | 54                                  | <b>*12549</b>   | 2                                                           | O-ring (13/16 X 11/16 XC 1/16)                                                 |
| 14       | <b>33848</b>     | 1         | Filter Adapter, Short<br>(Torque to 35/40 ft. lbs. oiled; For<br>PA6D, D-01115AA) | 55                                  | <b>50888</b>    | 1                                                           | Manifold Block<br>(For PA6D, D-01115AA)                                        |
|          | <b>37722</b>     | 1         | Filter Adapter, Long<br>(Torque to 35/40 ft. lbs. oiled; For<br>PA6D-2, Y12-MGW)  |                                     | <b>51734</b>    | 1                                                           | Manifold Block (For PA6D-2,<br>Y12-MGW)                                        |
| 15       | <b>27680</b>     | 1         | Filter Assembly<br>(For PA6D, D-01115AA)                                          | 56                                  | <b>*10300</b>   | 1                                                           | O-ring (5/8 X .468 X .078)                                                     |
|          | <b>29682</b>     | 1         | Filter Assembly<br>(For PA6D-2, Y12-MGW)                                          | 57                                  | <b>24132</b>    | 1                                                           | Filler Plug (For PA6D, D-01115AA)                                              |
| 16       | <b>41300BR13</b> | 1         | Reservoir (For D-01115AA)                                                         | 58                                  | <b>*10275</b>   | 1                                                           | O-ring (15/16 X 3/4 X 3/32; For PA6D;<br>D-01115AA)                            |
|          | <b>41300OR9</b>  | 1         | Reservoir (For PA6D)                                                              | 59                                  | <b>*29992</b>   | 1                                                           | Foam Tube                                                                      |
|          | <b>60597OR9</b>  | 1         | 2 Gallon Reservoir<br>(For PA6D-2; See sheet 2 of 2.)                             | 60                                  | <b>28387</b>    | 1                                                           | Muffler                                                                        |
|          | <b>60597BL2</b>  | 1         | 2 Gallon Reservoir<br>(For Y12-MGW; See sheet 2 of 2.)                            | 61                                  | <b>33841</b>    | 1                                                           | Actuator Button                                                                |
| 17       | <b>*10263</b>    | 1         | Soft Copper Washer<br>(49/32 X 1" X 1/32)                                         | 62                                  | <b>*10267</b>   | 1                                                           | O-ring (7/16 X 5/16 X 1/16)                                                    |
| 18       | <b>*28979</b>    | 1         | Gasket                                                                            | 63                                  | <b>11151</b>    | 6                                                           | Cap Screw (#10-24 X 1-1/4" Lg.)                                                |
| 19       | <b>33847</b>     | 1         | Cylinder (Torque to 90/100 ft. lbs. oiled)                                        | 64                                  | <b>*12691</b>   | 1                                                           | Compression Spring (3/8 O.D.<br>X 1-1/2" Lg.)                                  |
| 20       | <b>*13934</b>    | 1         | Packing U-cup (1/2 X 1/4 X 1/4)                                                   | 65                                  | <b>13936</b>    | 1                                                           | Cap screw (#8-32 X 1/4 Lg.)                                                    |
| 21       | <b>28224</b>     | 1         | Retainer Nut                                                                      | 66                                  | <b>*28182</b>   | 1                                                           | Air Valve Poppet                                                               |
| 22       | <b>*11034</b>    | 1         | Retaining Ring                                                                    | 67                                  | <b>33843</b>    | 1                                                           | Intake Air Valve (For D-01115AA)                                               |
| 23       | <b>37434</b>     | 1         | Air Cylinder (Locate groove toward<br>top near cover plate.)                      |                                     | <b>37199</b>    | 1                                                           | Intake Air Valve<br>(For PA6D, PA6D-2, Y12-MGW)                                |
| 24       | <b>205674</b>    | 1         | Cap Screw (8-32 X 3/8 Lg.;<br>Torque to 25/35 in. lbs.)                           | 68                                  | <b>38956BK2</b> | 1                                                           | Foot Plate                                                                     |
| 25       | <b>*17429</b>    | 1         | Backup Ring                                                                       | 69                                  | <b>51479WH2</b> | 1                                                           | Cover Plate (For 2 gallon reservoir;<br>See sheet 2 of 2.)                     |
| 26       | <b>205679</b>    | 1         | Compression Spring                                                                | 70                                  | <b>42314</b>    | 1                                                           | 3-Way/4-Way Valve<br>(For D-01115AA, Y12-MGW; [See<br>Form #100374.])          |
| 27       | <b>51480</b>     | 1         | Rear Head                                                                         |                                     | <b>V24</b>      | 1                                                           | 3-Way/4-Way Valve (For PA6D,<br>PA6D-2 [See Form #100374.])                    |
| 28       | <b>13938</b>     | 1         | Compression Spring<br>(1-3/16" I.D. X 5" Lg.)                                     | 71                                  | <b>13888</b>    | 1                                                           | Pipe Connector                                                                 |
| 29       | <b>*10268</b>    | 4         | O-ring (1/2 X 3/8 X 1/16)                                                         | 72                                  | <b>16797</b>    | 1                                                           | Elbow (90°)                                                                    |
| 30       | <b>*10311</b>    | 4         | Backup Washer                                                                     | 73                                  | <b>11127</b>    | 2                                                           | Pipe Plug (3/8 NPTF)                                                           |
| 31       | <b>21094</b>     | 2         | Bushing                                                                           | 74                                  | <b>10807</b>    | 1                                                           | Cap Screw (1/4-20 X 1/2 Lg.;<br>For PA6D, D-01115AA)                           |
| 32       | <b>16448</b>     | 1         | Spring (5/16 O.D. X 13/16 Lg.)                                                    | 75                                  | <b>203143</b>   | 1                                                           | Bumper (For PA6D, PA6D-2,<br>Y12-MGW)                                          |
| 33       | <b>28222</b>     | 1         | Spring Guide                                                                      | <b>PARTS INCLUDED BUT NOT SHOWN</b> |                 |                                                             |                                                                                |
| 34       | <b>28226</b>     | 1         | Piston                                                                            | <b>*14350</b>                       | 1               | Warning Decal                                               |                                                                                |
| 35       | <b>*14265</b>    | 2         | Piston Ring                                                                       | <b>*15411</b>                       | 1               | Patent Information Decal                                    |                                                                                |
| 36       | <b>*11229</b>    | 2         | O-ring (2-3/8" X 2-3/16" X 3/32)                                                  | <b>201826</b>                       | 2               | Decal (D-01115AA)                                           |                                                                                |
| 37       | <b>33824</b>     | 1         | Piston Body                                                                       | <b>206199</b>                       | 2               | Decal (PA6D, PA6D-2)                                        |                                                                                |
| 38       | <b>*12692</b>    | 1         | Spring (3/16 O.D. X 1-1/2" Lg.)                                                   | <b>11280</b>                        | 2               | Decal (Y12-MGW)                                             |                                                                                |
| 39       | <b>*10303</b>    | 1         | O-ring (7/8 X 3/4 X 1/16)                                                         | <b>12204</b>                        | 1               | Venting Decal                                               |                                                                                |
| 40       | <b>33845</b>     | 1         | Exhaust Valve Stem                                                                | <b>13229</b>                        | 1               | Street Elbow (Used with Relief Valve<br>on PA6D-2, Y12-MGW) |                                                                                |


Part numbers marked with an asterisk (\*) are contained in Repair Kit No. 300132.



## TWO GALLON RESERVOIR ASSEMBLY

| Item No. | Part No. | No. Req'd | Description                      |
|----------|----------|-----------|----------------------------------|
| 1        | 24132    | 1         | Filler Cap                       |
| 2        | 17120    | 1         | O-ring                           |
| 3        | 10177    | 10        | Machine Screw (1/4-20 X 3/4 Lg.) |
| 4        | 51715WH2 | 1         | Cover Plate                      |
| 5        | 40164    | 1         | Cover Plate Gasket               |
| 6        | 60597OR9 | 1         | Reservoir (For PA6D-2)           |
|          | 60597BL2 | 1         | Reservoir (For Y12-MGW)          |
| 7        | 19779    | 1         | Seal Washer                      |
| 8        | 13808    | 1         | Cap Screw (3/8-16 X 3/4 Lg.)     |

## RELIEF VALVE ASSEMBLY



| Item No. | Part No. | No. Req'd | Description     |
|----------|----------|-----------|-----------------|
| 1        | 24471    | 1         | Adjusting Plug  |
| 2        | 24463    | 1         | Insert (Nylock) |
| 3        | 10428    | 1         | Spring          |
| 4        | 21046    | 1         | Cone            |
| 5        | 21286    | 1         | Valve Body      |

Refer to any operating instructions included with this product for detailed information about operation, testing, disassembly, reassembly, and preventive maintenance.

Items found in this parts list have been carefully tested and selected. **Therefore: Use only genuine replacement parts!**

Additional questions can be directed to our Technical Services Department.