



PRODUCT BULLETIN

Title: New Style Coupling & Hose Obsolescence
Product Line: Bolting Systems
Document #: PMB1903
Date: April 2, 2019

Product Affected: Bolting System Tension Hoses: HL1M-LC, HL13M-LC, HL3M-LC, HL5M-LC, HL8M-LC, and HL10M-LC

Distribution: Distributors / Field Sales / Website

Description: Due to the discontinuation of the threaded locking collar style coupling (SPX P/No 2008547 - CEJN P/No 101161222) assembled to our 1500 bar bolt tensioning hoses, the HL**M-LC hose series will be obsoleted, and replaced by the HL**M series hose.

CEJN, the coupling manufacturer, have re-designed the standard coupling (originally the non-locking collar type) to incorporate new safety features including a new spring loaded, push and turn lock and a visual connection feature (alert indicator ring)

Traditionally, the non-locking style coupling / hose (HL**M series hoses) is normally used for subsea applications due to the diver encountering difficulty in hose connection with the threaded locking collar type coupling (the loose locking collars can move to a partially locked position during transit and hose handling, making it very difficult for the diver to connect).

The new style coupling shown below, has a spring loaded, push-turn type lock which remains in an unlocked position when disconnected. Because the locking collar is maintained in the retracted position, this makes it suitable for Subsea use whereby it will not interfere with connection. The choice to engage the lock resides with the operator, but will not impact with normal function whether engaged or not. **PLEASE NOTE: the new style couplings are fully interchangeable, and compatible with existing 116 series couplers.**

Effective Date: The conversion to the new coupler styles and part numbers will be converted as existing inventories are depleted. Note that any HL**M-LC hoses that are currently held in inventory can be used until stock is exhausted.

Contact: For questions regarding the obsolescence of the protective blankets, please contact your local sales representative or customer service representative.


OLD STYLE COUPLING

SPX # 2008547
CEJN # 101161222



NEW STYLE COUPLING

SPX # 2008548
CEJN # 101161202



THE NEXT GENERATION

QUICK-ACTION SAFETY LOCK. Our newest feature is the quick and smooth locking ring giving extended security to your connection. Screw locks are sometimes considered by users to be time consuming and left unscrewed. With The Next Generation unintentional disconnection is practically eliminated, just a quick twist of the bayonet lock and your coupling is secured!

BLUE STANDS FOR SAFETY. CEJN-blue for many people means high industrial quality. With the redesign of our ultra high-pressure range, CEJN-blue has been implemented into the design making it easier for customers to distinguish the quality products of CEJN from other brands. The change applies to series 115, 116, 117 and 125.

Further information including videos can be found at :

<https://www.cejn.com/thenextgeneration/>

Best Regards,



David Campbell
Global Product Director – Bolting Systems
SPX FLOW, Inc.

Products Being Obsoleted:

Discontinued Item	Replacement Item
HL1M-LC	HL1M
HL13M-LC	HL13M
HL3M-LC	HL3M
HL5M-LC	HL5M
HL8M-LC	HL8M
HL10M-LC	HL10M

5885 11th Street
ROCKFORD, IL 61109
USA

TEL 815-873-3882

www.spxflow.com